


Energy, Electricity and Nuclear Power Estimates for the Period up to 2050



IAEA

International Atomic Energy Agency

**ENERGY, ELECTRICITY AND
NUCLEAR POWER ESTIMATES
FOR THE PERIOD UP TO 2050**

REFERENCE DATA SERIES No. 1

**ENERGY, ELECTRICITY AND
NUCLEAR POWER ESTIMATES
FOR THE PERIOD UP TO 2050**

2017 Edition

INTERNATIONAL ATOMIC ENERGY AGENCY
VIENNA, 2017

ENERGY, ELECTRICITY AND
NUCLEAR POWER ESTIMATES
FOR THE PERIOD UP TO 2050

IAEA-RDS-1/37

ISBN 978-92-0-106117-1

ISSN 1011-2642

Printed by the IAEA in Austria
September 2017

CONTENTS

INTRODUCTION	1
WORLD	5
Nuclear power development around the world in 2016	7
Final energy consumption in 2016	13
Electricity production	14
Energy and electricity projections	16
Nuclear electrical generating capacity projections	18
Reactor retirements and additions	20
Electricity and nuclear production projections	22
NORTHERN AMERICA	27
Final energy consumption in 2016	28
Electricity production in 2016	29
Energy and electricity projections	30
Nuclear electrical generating capacity projections	32
Reactor retirements and additions	34
Electricity and nuclear production projections	36
LATIN AMERICA AND THE CARIBBEAN	39
Final energy consumption in 2016	40
Electricity production in 2016	41
Energy and electricity projections	42
Nuclear electrical generating capacity projections	44
Reactor retirements and additions	46
Electricity and nuclear production projections	48
NORTHERN, WESTERN AND SOUTHERN EUROPE	51
Final energy consumption in 2016	52
Electricity production in 2016	53
Energy and electricity projections	54
Nuclear electrical generating capacity projections	56
Reactor retirements and additions	58
Electricity and nuclear production projections	60

EASTERN EUROPE	63
Final energy consumption in 2016	64
Electricity production in 2016	65
Energy and electricity projections	66
Nuclear electrical generating capacity projections	68
Reactor retirements and additions	70
Electricity and nuclear production projections	72
 AFRICA	 75
Final energy consumption in 2016	76
Electricity production in 2016	77
Energy and electricity projections	78
Per capita energy and electricity	80
Nuclear electrical generating capacity projections	82
Electricity and nuclear production projections	84
 WESTERN ASIA	 87
Final energy consumption in 2016	88
Electricity production in 2016	89
Energy and electricity projections	90
Nuclear electrical generating capacity projections	92
Electricity and nuclear production projections	94
 SOUTHERN ASIA	 97
Final energy consumption in 2016	98
Electricity production in 2016	99
Energy and electricity projections	100
Nuclear electrical generating capacity projections	102
Reactor retirements and additions	104
Electricity and nuclear production projections	106
 CENTRAL AND EASTERN ASIA	 109
Final energy consumption in 2016	110
Electricity production in 2016	111
Energy and electricity projections	112
Nuclear electrical generating capacity projections	114
Reactor retirements and additions	116
Electricity and nuclear production projections	118

SOUTH-EASTERN ASIA	121
Final energy consumption in 2016	122
Electricity production in 2016	123
Energy and electricity projections	124
Nuclear electrical generating capacity projections	126
OCEANIA	129
Final energy consumption in 2016	130
Electricity production in 2016	131
Energy and electricity projections	132
Nuclear electrical generating capacity projections	134
REGIONAL POPULATION DATA	137

Introduction

Reference Data Series No. 1 (RDS-1) is an annual publication — currently in its thirty-seventh edition — containing estimates of energy, electricity and nuclear power trends up to the year 2050.

RDS-1 starts with a summary of the status of nuclear power in IAEA Member States as of the end of 2016 based on statistical data collected by the IAEA's Power Reactor Information System (PRIS). It then presents estimates of energy and electricity up to 2050 derived from various international studies, including the International Energy Agency's World Energy Outlook 2016 and the United States Energy Information Administration's International Energy Outlook 2016. The energy and electricity data for 2016 are estimated, as the latest information available from the United Nations Department of Economic and Social Affairs is for 2014. Population data originate from World Population Prospects (2015 revision), published by the Population Division of the United Nations Department of Economic and Social Affairs. The 2016 values again are estimates.

As in previous editions of RDS-1, projections of nuclear power are presented as low and high estimates encompassing the uncertainties inherent in projecting trends. The projections are based on a critical review of (i) the global and regional energy, electricity and nuclear power projections made by other international organizations, (ii) national projections supplied by individual countries for a recent OECD Nuclear Energy Agency study and (iii) the estimates of the expert group participating in the IAEA's yearly consultancy on nuclear capacity projections.

The estimates of future nuclear electrical generating capacity presented in Table 5 are derived using a country by country 'bottom up' approach. In deriving these estimates, a group of experts considers all the operating reactors, possible licence renewals, planned shutdowns and plausible construction projects foreseen for the next several decades. The experts build the projections project by project by assessing the plausibility of

each in light of, first, the assumptions of the low projections and, second, the assumptions of the high projections.

The low and high estimates reflect contrasting, but not extreme, underlying assumptions on the different driving factors that have an impact on nuclear power deployment. These factors, and the ways they might evolve, vary from country to country. The estimates presented provide a plausible range of nuclear capacity growth by region and worldwide. They are not intended to be predictive nor to reflect the whole range of possible futures from the lowest to the highest feasible.

The low case represents expectations about the future assuming that current market, technology and resource trends continue and there are few additional changes in explicit laws, policies and regulations affecting nuclear power. This case was explicitly designed to produce a 'conservative' set of projections. Additionally, the low case does not assume that targets for nuclear power in a particular country will necessarily be achieved. These assumptions are relaxed in the high case.

The high case projections are much more ambitious, but are still plausible and technically feasible. The high case assumes that current rates of economic and electricity consumption growth will continue, particularly in the Eastern Asia region. Country policies toward climate change are also considered in the high case.

Over the short term, the low price of natural gas and the impact of subsidized intermittent renewable energy sources on electricity prices are expected to continue to affect nuclear growth prospects in some regions of the world. Moreover, natural gas has become more competitive owing to low prices and increased supply as a result of technological advances in gas extraction. Ongoing financial uncertainty and declining electricity consumption in some regions continue to present challenges for capital intensive projects such as nuclear power. Heightened safety requirements, challenges in deploying advanced technologies and other factors have increased construction times and costs, contributing to delays. The expert group assumed that these challenges, in addition to the accident at the

Fukushima Daiichi nuclear power plant, will continue to delay nuclear development plans. In the longer run, the underlying fundamentals of population growth and electricity consumption in the developing world, as well as climate change and air quality concerns, security of energy supply and price volatility of other fuels, continue to point to nuclear generating capacity playing an important role in the energy mix.

Compared with the 2016 projections to 2030, the 2017 projections were reduced by 45 GW(e)¹ by 2030 in both the high and the low case. These reductions reflect responses to the Fukushima Daiichi accident and other factors noted above. There are increasing uncertainties in these projections owing to the considerable number of reactors scheduled to be retired in some regions around 2030 and beyond. Significant new nuclear capacity would be necessary to offset any retirements resulting from factors such as ageing fleets and economic difficulties.

With respect to projections from 2030 to 2050, assumptions are made about the general rate of development and retirements. Given all the uncertainties, these estimates should be considered as suggestive of the potential outcomes.

Interest in nuclear power remains strong in some regions, particularly in the developing world. Commitments agreed to at the 21st session of the Conference of the Parties to the United Nations Framework Convention on Climate Change may also have an impact on nuclear energy development in the future.

¹ The projections consist of both available capacity (currently supplying electricity to the grid) and installed nominal capacity (available, but not currently supplying electricity to the grid).

Geographical Regions

The nuclear electrical generating capacity projections presented in RDS-1 are grouped according to the geographical regions used by the Statistics Division of the United Nations Secretariat, available on-line at unstats.un.org/unsd/methodology/m49/.

The designations employed and the presentation of material in this publication do not imply the expression of any opinion whatsoever on the part of the IAEA concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Notes

The data on electricity produced by nuclear power plants are converted to joules based on the average efficiency of a nuclear power plant (i.e. 33%); the data on electricity generated by geothermal heat are converted to joules based on the average efficiency of a geothermal power plant (i.e. 10%).

The conversion to joules of electricity generated from hydropower or from other non-thermal sources such as wind, tide and solar is based on the energy content of the electricity generated (the equivalent of assuming 100% efficiency).

Total final energy consumption refers to all fuel and energy delivered to users for their energy use and does not include non-energy use (i.e. deliveries of energy products for use as chemical feedstocks or as raw materials).

Owing to rounding, numbers presented throughout this publication may not add up precisely to the totals provided, and percentages may not precisely reflect the absolute figures.

Energy Units

1 MW(e) = 10^6 watts (electrical)

1 GW(e) = 1000 MW(e) = 10^9 watts (electrical)

1 GJ = 1 gigajoule = 10^9 joules

1 EJ = 1 exajoule = 10^{18} joules

1 EJ = 23.9 megatonnes of oil equivalent (Mtoe)

1 TW·h = 1 terawatt-hour = 10^9 kW·h = 3.6×10^{-3} EJ

World

Nuclear Power Development around the World in 2016

- There were 448 operational nuclear power reactors in the world at the end of 2016, with a total net installed power capacity of 391 GW(e).
- An additional 61 units with a total capacity of 61 GW(e) were under construction.
- During 2016, ten new nuclear power reactors with a total capacity of 9531 MW(e) were connected to the grid, and three reactors with a total capacity of 1405 MW(e) were retired. In 2016, construction began on three new units that are expected to add a total capacity of 3014 MW(e).
- Electricity generation from operational nuclear reactors increased about 2% in 2016, reaching 2476 TW·h.
- Nuclear power accounted for about 11% of total electricity production in 2016.


TABLE 1. NUCLEAR POWER REACTORS IN THE WORLD (end of 2016)

Country	Operational		Under Construction		Nuclear Electricity Production in 2016	
	Number of units	Net capacity ((MW(e))	Number of units	Net capacity (MW(e))	TW·h	Per cent of total
Argentina	3	1 632	1	25	7.7	5.1
Armenia	1	375			2.2	31.4
Belarus			2	2 218		
Belgium	7	5 913			41.4	51.2
Brazil	2	1 884	1	1 245	15.0	2.6
Bulgaria	2	1 926			15.1	35.0
Canada	19	13 554			95.7	14.0
China	36	31 384	21	21 622	197.8	3.5
Czech Republic	6	3 930			22.7	29.3
Finland	4	2 764	1	1 600	22.3	33.7
France	58	63 130	1	1 630	386.5	72.8
Germany	8	10 799			80.1	13.0
Hungary	4	1 889			15.2	51.3
India	22	6 240	5	2 990	35.0	2.6
Iran, Islamic Republic of	1	915			5.9	2.1

Japan	42	39 752	2	2 653	17.5	1.8
Korea, Republic of	25	23 077	3	4 020	154.3	29.2
Mexico	2	1 552			10.3	3.5
Netherlands	1	482			3.7	3.4
Pakistan	4	1 005	3	2 343	5.4	5.2
Romania	2	1 300			10.4	16.5
Russian Federation	35	26 111	7	5 520	184.1	18.1
Slovakia	4	1 814	2	880	13.7	54.1
Slovenia	1	688			5.4	35.2
South Africa	2	1 860			15.2	6.5
Spain	7	7 121			56.1	21.2
Sweden	10	9 740			60.6	40.1
Switzerland	5	3 333			20.3	34.4
Ukraine	15	13 107	2	2 070	76.1	50.2
United Arab Emirates			4	5 380		
United Kingdom	15	8 918			65.1	20.4
United States of America	99	99 869	4	4 468	804.9	19.6
World Total^a	448	391 116	61	61 264	2 476.2	10.6


^a Includes the following data from Taiwan, China: 6 units in operation with a total capacity of 5052 MW(e), 2 units under construction with a total capacity of 2600 MW(e), and 30.5 TW·h of nuclear electricity generation, representing 12.1% of the total electricity produced.

FIGURE 1. WORLD NUCLEAR ELECTRICITY PRODUCTION IN 2016




Note: The nuclear electricity production in Taiwan, China, was 30.5 TW·h.

FIGURE 2. SHARE OF NUCLEAR IN TOTAL ELECTRICITY PRODUCTION IN THE WORLD IN 2016



Note: The share of nuclear in the total electricity production of Taiwan, China, was 12.1%.

FIGURE 3. WORLD FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN 2016



Final Energy Consumption in 2016


Globally, electricity accounted for about 18% of the total final energy consumption in 2016. About 70% of the final energy consumption was in the form of fossil fuels. Bioenergy and waste accounted for 12%.

As electricity consumption is expected to increase faster than total final energy consumption in the coming years, the share of electricity consumption is expected to rise.

Electricity Production

- Total electricity production grew by 2.6% in 2016 while the growth in nuclear electricity production was 2.1%.
- Among the various sources for electricity production, coal remained dominant despite the significant growth of natural gas based generation.
- The share of electricity production from natural gas increased by 0.4 percentage points to reach 22.8% of total electricity production.
- The contribution of hydropower and renewable energy sources continued to increase significantly, reaching 24.8% in 2016, while the share of nuclear electricity production remained at about 11% of the total electricity production.

FIGURE 4. BREAKDOWN OF WORLD TOTAL ELECTRICITY PRODUCTION BY ENERGY SOURCE DURING THE PERIOD 1971–2016




Note: Estimates are expressed in gross figures. Gross electricity production is the total electrical energy produced by all generating units and installations, including pumped storage, measured at the output terminals of the generators.

Energy and Electricity Projections

- World energy consumption is expected to increase by 18% by 2030 and by 39% by 2050, at an annual growth rate of about 1%.
- Electricity consumption will grow at a higher rate of about 2.5% per year up to 2030 and around 2% per year thereafter.
- The share of electricity in total final energy consumption will thus increase from 17.8% in 2016 to 21% by 2030 and to 26.6% by the middle of the century.

FIGURE 5. WORLD FINAL CONSUMPTION OF ENERGY AND ELECTRICITY

TABLE 2. WORLD FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY

Final Consumption	2016	2030	2040	2050
Energy (EJ)	411	487	521	572
Electricity (EJ)	73	103	125	152
% of total	17.80	21.07	24.01	26.56

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- The world nuclear electrical generating capacity is projected to increase to 554 GW(e) by 2030 and to 874 GW(e) by 2050 in the high case. This represents a 42% increase over current levels by 2030 and a doubling of capacity by 2050.
- In the low case, the world nuclear electrical generating capacity is projected to gradually decline until 2040 and then rebound to about today's level by 2050.
- The world total electrical generating capacity is expected to increase from 6671 GW(e) in 2016 to 9826 GW(e) by 2030 and to 12 908 GW(e) by 2050.
- The share of nuclear electrical generating capacity in the world total electrical capacity will be about 3% in the low case and about 6.8% in the high case by the middle of the century.

FIGURE 6. WORLD NUCLEAR ELECTRICAL GENERATING CAPACITY




TABLE 3. WORLD TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY


Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	6 671	9 826		11 518		12 908	
Nuclear (GW(e))	391	345	554	332	717	382	874
% of total	5.86	3.52	5.63	2.88	6.22	2.96	6.77

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.


Reactor Retirements and Additions

- More than half of the existing nuclear power reactors are over 30 years old and are scheduled to be retired in the coming years.
- In the low case, about 147 GW(e) of nuclear electrical generating capacity will be retired and new reactors will add 101 GW(e) of capacity by 2030. Between 2030 and 2050, an additional 181 GW(e) will be retired and 218 GW(e) of new capacity will be added.
- In the high case, it is assumed that several of the nuclear power reactors scheduled for retirement will be given a life extension, so that only 44 GW(e) of nuclear electrical generating capacity will be retired by 2030, with an additional 241 GW(e) retired by 2050. In this case, the new reactors will add 206 GW(e) of nuclear electrical generating capacity by 2030 and about 561 GW(e) of capacity by 2050.

FIGURE 7. WORLD NUCLEAR CAPACITY: ACTUAL, RETIREMENTS AND ADDITIONS
HIGH CASE




LOW CASE



Electricity and Nuclear Production Projections

- The total nuclear electricity production in the world will continue to increase between now and 2050.
- In the high case, by 2030 nuclear electricity production will increase by 73% from the 2016 level of 2476 TW·h, and a further increase of 64% will occur over the next 20 years. Altogether, a 2.8-fold increase over the present level is expected by 2050.
- In the low case, despite nuclear electrical generating capacity declining from the present level until 2040 and then rebounding, nuclear electricity production will increase by about 8% by 2030 and about 24% by 2050.
- The share of nuclear electricity in total electricity production in the world will decrease in the low case from about 11% in 2016 to 7.8% in 2030 and 6% in 2050. However, in the high case, its share will increase to 12.4% in 2030 and to 13.7% in 2050.

FIGURE 8. WORLD NUCLEAR ELECTRICITY PRODUCTION

TABLE 4. WORLD TOTAL AND NUCLEAR ELECTRICAL PRODUCTION^a

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	23 426	34 579		42 335		51 388	
Nuclear (TW·h)	2 476	2 684	4 289	2 634	5 686	3 079	7 041
% of total	10.57	7.76	12.40	6.22	13.43	5.99	13.70

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 3 cannot be used to calculate average annual capacity factors for nuclear plants as Table 3 presents year-end capacity.

TABLE 5. WORLD NUCLEAR ELECTRICAL GENERATING CAPACITY, GW(e)

Region	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Northern America	113.4	87	116	40	106	44	105
Latin America and the Caribbean	5.1	8	10	7	17	8	25
Northern, Western and Southern Europe	112.9	61	103	50	97	39	120
Eastern Europe	50.1	50	70	63	104	76	110
Africa	1.9	2	3	3	10	7	18
Western Asia	0.4	5	9	7	21	11	31
Southern Asia	8.2	21	34	33	68	52	105
Central and Eastern Asia	99.3	111	207	128	288	142	344
South-eastern Asia				1	6	3	14
Oceania							2
World Total	391.3	346	554	332	717	382	874


TABLE 6. WORLD NUCLEAR ELECTRICITY PRODUCTION, TW·h

Region	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Northern America	900.6	691	926	318	848	354	847
Latin America and the Caribbean	33.0	61	76	55	133	65	202
Northern, Western and Southern Europe	741.5	482	817	403	778	313	969
Eastern Europe	337.3	397	553	500	829	614	883
Africa	15.2	14	21	23	79	56	147
Western Asia	2.2	41	71	58	169	92	253
Southern Asia	46.3	163	271	266	541	418	846
Central and Eastern Asia	400.1	835	1 555	1 003	2 264	1 143	2 770
South-eastern Asia				8	47	24	109
Oceania							16
World Total	2 476.2	2 684	4 290	2 634	5 688	3 079	7 042

Northern America

Northern America


FIGURE 9. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE NORTHERN AMERICA REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the Northern America region in 2016 was dominated by the use of oil. Electricity made up about one fifth of the total consumption, followed by gas, accounting for another fifth.

FIGURE 10. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE NORTHERN AMERICA REGION IN 2016



Electricity Production in 2016

In the electricity production mix in 2016, gas based electricity production grew to around 30% of the total, reaching the level of coal. Nuclear electricity remained at about 20% of the total. Hydropower and other renewables each provided about 10% of the total electricity production.

Energy and Electricity Projections

- Final energy consumption in the Northern America region is expected to decrease owing to efficiency improvements and structural changes in the economy. A decrease of about 5.6% from the present level of 72 EJ is expected by 2030, reaching about 9.7% by 2050.
- In contrast, electricity consumption will continue to increase, albeit at a slow pace (0.5% growth annually).
- The share of electricity in final energy consumption will thus increase from 21.4% in 2016 to 23.1% in 2030 and about 27% by the middle of the century.

FIGURE 11. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE NORTHERN AMERICA REGION




TABLE 7. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE NORTHERN AMERICA REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	72	68	66	65
Electricity (EJ)	15	16	16	18
% of total	21.36	23.12	24.79	26.82

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Northern America region is projected to increase by 11.4% to reach 1474 GW(e) by 2030, and then to decrease slightly to 1435 GW(e) by 2050.
- Nuclear electrical generating capacity is expected to change significantly in this region over the next two decades.
- In the low case, nuclear electrical generating capacity is projected to decrease from the 2016 level of 113 GW(e) to 87 GW(e) by 2030 and then to 44 GW(e) by 2050. The share of nuclear electrical generating capacity in total electricity capacity is projected to decrease from 8.6% in 2016 to 5.9% by 2030 and to 3.1% by 2050.
- In the high case, nuclear electrical generating capacity is projected to remain near its current level throughout the period. It will first increase to 116 GW(e) in 2030 and then decrease to 105 GW(e) in 2050. The share of nuclear electrical generating capacity in total electricity capacity will, however, decrease from 8.6% to 7.9% in 2030 and then to 7.3% in 2050.

FIGURE 12. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE NORTHERN AMERICA REGION




TABLE 8. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE NORTHERN AMERICA REGION

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	1 323	1 474		1 488		1 435	
Nuclear (GW(e))	113	87	116	40	106	44	105
% of total	8.57	5.90	7.90	2.67	7.12	3.06	7.32


^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.

Reactor Retirements and Additions


- Almost all of the existing nuclear power reactors in the Northern America region are scheduled to be retired by the middle of the century.
- In the low case, about 29 GW(e) of nuclear electrical generating capacity will be retired by 2030. An additional 83 GW(e) of capacity will be retired between 2030 and 2050. The projected additions of nuclear electrical generating capacity in this case are only 3 GW(e) by 2030 and some 40 GW(e) by 2050.
- In the high case, some nuclear power reactor retirements will be delayed by plant life extensions; however, these plants will also be retired by the middle of the century. The additions of nuclear electrical generating capacity in this case are projected to be 11 GW(e) by 2030 and some 90 GW(e) by 2050.

FIGURE 13. NUCLEAR CAPACITY IN THE NORTHERN AMERICA REGION: ACTUAL, RETIREMENTS AND ADDITIONS

HIGH CASE



LOW CASE



Electricity and Nuclear Production Projections

- The total electricity production in the Northern America region is projected to increase from 4796 TW·h in 2016 to 5224 TW·h in 2030 — an increase of about 9% over 14 years — and then to 5896 TW·h by 2050.
- The contribution of nuclear electricity is projected to undergo significant changes in both the low and the high case.
- In the low case, nuclear electricity production is projected to decrease significantly — from 901 TW·h in 2016 to 691 TW·h in 2030 and to 354 TW·h in 2050. The share of nuclear electricity in total electricity production will thus decrease from 18.8% in 2016 to 13.2% in 2030 and to only 6% in 2050.
- In the high case, nuclear electricity production is projected to first increase by about 2.3% from 901 TW·h in 2016 to 925 TW·h in 2030, and then to decrease to 847 TW·h in 2050. The share of nuclear electricity production in total electricity will likewise decrease, falling from 18.8% to 17.7% in 2030 and to 14.4% in 2050.

FIGURE 14. NUCLEAR ELECTRICITY PRODUCTION IN THE NORTHERN AMERICA REGION





TABLE 9. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE NORTHERN AMERICA REGION^a

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	4 796	5 224		5 408		5 896	
Nuclear (TW·h)	901	691	925	318	848	354	847
% of total	18.78	13.23	17.72	5.89	15.68	6.00	14.37

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 8 cannot be used to calculate average annual capacity factors for nuclear plants as Table 8 presents year-end capacity.

Latin America and the Caribbean


FIGURE 15. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE LATIN AMERICA AND THE CARIBBEAN REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the Latin America and the Caribbean region was dominated by oil and gas, which together accounted for over 60% of the total, with coal accounting for only 3% of the final energy consumption in 2016. Electricity use in 2016 was 18% of the total final energy consumption, while bioenergy and waste (traditional fuels) accounted for about 17%.

FIGURE 16. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE LATIN AMERICA AND THE CARIBBEAN REGION IN 2016



Electricity Production in 2016

Hydropower is the main source of electricity production in the Latin America and the Caribbean region, providing about 50% of the total electricity production. Fossil fuel based electricity production accounted for about 40% of the total, led by gas at 26%. Renewables and other sources contributed about 8% to the total electricity production in 2016. Nuclear electricity had only a 2% share in total electricity production in the region.

Energy and Electricity Projections

- The total final energy consumption in the Latin America and the Caribbean region is expected to increase by about 1.5% per year up to the middle of the century.
- Electricity consumption, however, will increase at a slightly faster pace of 2.1% growth annually.
- The share of electricity in final energy consumption will increase from 17.8% in 2016 to 18.8% in 2030 and about 23.8% by the middle of the century.

FIGURE 17. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE LATIN AMERICA AND THE CARIBBEAN REGION




TABLE 10. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE LATIN AMERICA AND THE CARIBBEAN REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	26	33	38	43
Electricity (EJ)	5	6	8	10
% of total	17.77	18.81	21.12	23.75

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Latin America and the Caribbean region is projected to increase by 36%, reaching 548 GW(e) by 2030 and 809 GW(e) by 2050.
- Nuclear electrical generating capacity is projected to increase in both the low and the high case, but the role of nuclear electricity will remain small.
- In the low case, nuclear electrical generating capacity is projected to increase from 5 GW(e) in 2016 to 8 GW(e) by 2030 and to stay at that level until 2050. The share of nuclear in the total electrical generating capacity is projected to increase slightly from 1.3% to 1.5% by 2030 and then to decrease to 1% by 2050.
- In contrast, in the high case, nuclear electrical generating capacity is projected to increase to 10 GW(e) in 2030 and to 25 GW(e) in 2050. The share of nuclear electrical generating capacity in total electrical capacity will thus increase to 1.8% in 2030 and to 3% in 2050.

FIGURE 18. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE LATIN AMERICA AND THE CARIBBEAN REGION




TABLE 11. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE LATIN AMERICA AND THE CARIBBEAN REGION


Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	403	548		685		809	
Nuclear (GW(e))	5	8	10	7	17	8	25
% of total	1.26	1.47	1.83	1.03	2.49	0.99	3.10

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.


Reactor Retirements and Additions

- There are seven nuclear power reactors operating in the Latin America and the Caribbean region. All but one were constructed before 2001 and are scheduled to be retired by the middle of the century.
- In the low case, 4.3 GW(e) of the existing nuclear electrical generating capacity will be retired by 2050. In the high case, retirement of some of the nuclear power reactors will be delayed by plant life extensions, and about half the existing nuclear capacity will be retired.
- The projected additions of nuclear electrical generating capacity in the high case are 5 GW(e) by 2030 and an additional 17 GW(e) by 2050. In the low case, only 8 GW(e) of additional capacity is projected for the entire period.

FIGURE 19. NUCLEAR CAPACITY IN THE LATIN AMERICA AND THE CARIBBEAN REGION: ACTUAL, RETIREMENTS AND ADDITIONS HIGH CASE



LOW CASE



Electricity and Nuclear Production Projections

- Total electricity production in the Latin America and the Caribbean region is projected to increase by around 2.4% per year.
- Nuclear electricity production is projected to increase in both the low and the high case, but its role will remain small in the coming decades.
- In the low case, nuclear electricity production will increase by 45% in the next 14 years to reach 61 TW·h in 2030, after which it will first decrease and then recover to 65 TW·h in 2050. The share of nuclear electricity in total electricity production will thus initially increase to 2.8% in 2030 and then decrease to 1.8% in 2050.
- In the high case, nuclear electricity production is projected to increase by 6.1% per year up to 2030 and then by 5.5% per year up to 2050. The share of nuclear electricity in total electricity production will therefore increase from 2.1% in 2016 to 3.5% in 2030 and to 5.7% in 2050.

FIGURE 20. NUCLEAR ELECTRICITY PRODUCTION IN THE LATIN AMERICA AND THE CARIBBEAN REGION




TABLE 12. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE LATIN AMERICA AND THE CARIBBEAN REGION^a


Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	1 582	2 171		2 809		3 576	
Nuclear (TW·h)	33	61	76	55	133	65	202
% of total	2.09	2.82	3.52	1.97	4.75	1.81	5.65

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 11 cannot be used to calculate average annual capacity factors for nuclear plants as Table 11 presents year-end capacity.

Northern, Western and Southern Europe

Northern, Western and Southern Europe


FIGURE 21. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE IN 2016



Final Energy Consumption in 2016

Final energy consumption in the combined regions of Northern, Western and Southern Europe continued to be dominated by fossil fuels in 2016. Electricity provided 22% of the total final energy consumed.

FIGURE 22. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE IN 2016



Electricity Production in 2016

The electricity production mix in the combined regions of Northern, Western and Southern Europe was very diverse in 2016. Nuclear electricity contributed a quarter of the total production in this region, while hydropower, renewables and other sources provided about a third of the total.

Energy and Electricity Projections

- Total final energy consumption in the combined regions of Northern, Western and Southern Europe is expected to decrease as a result of efficiency improvements and structural changes in the economy. Decreases of about 4.5% and about 11.4% from the present level of 44 EJ are expected by 2030 and by 2050, respectively.
- Electricity consumption will initially remain the same but will increase after 2030, with a 20% increase expected between 2030 and 2050.
- The share of electricity in final energy consumption will thus increase from 22.1% in 2016 to 24.2% by 2030 and to 30.3% by 2050.

Northern, Western and Southern Europe

FIGURE 23. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE




TABLE 13. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE

Final Consumption	2016	2030	2040	2050
Energy (EJ)	44	42	40	39
Electricity (EJ)	10	10	11	12
% of total	22.11	24.20	27.32	30.26

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Total electrical generating capacity in the combined regions of Northern, Western and Southern Europe is projected to increase by 14.2% by 2030 and by 9.7% to reach 1215 GW(e) by 2050.
- Several countries in these regions have announced a phaseout of nuclear power. The regions' nuclear power capacity will therefore change significantly in the coming years.
- In the low case, nuclear electrical generating capacity is projected to decrease by 45% by 2030 and by 65% by 2050. The share of nuclear power capacity in total electricity capacity will thus decrease from 11.6% to 5.5% by 2030 and to 3.2% by 2050.
- In the high case, the nuclear electrical generating capacity is projected to remain essentially the same: it is projected to decrease to 103 GW(e) by 2030 and then increase to 120 GW(e) in 2050. The share of nuclear power capacity in the total electricity production capacity will therefore decrease from 11.6% to 9.3% in 2030 and to 9.9% in 2050.

Northern, Western and Southern Europe

FIGURE 24. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE




TABLE 14. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	970	1 108		1 164		1 215	
Nuclear (GW(e))	113	61	103	50	97	39	120
% of total	11.64	5.51	9.33	4.32	8.34	3.19	9.89

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.


Reactor Retirements and Additions

- Almost all of the existing nuclear power reactors in the combined regions of Northern, Western and Southern Europe are scheduled to be retired by the middle of the century.
- In the low case, about 61 GW(e) of nuclear electrical generating capacity will be retired by 2030 and an additional 42 GW(e) of capacity will be retired between 2030 and 2050. The projected additions of nuclear capacity in this case are only 9 GW(e) by 2030 and some 20 GW(e) by 2050.
- In the high case, nuclear power reactor retirements will be delayed; the majority of the reactors will be retired between 2030 and 2050. The additions of nuclear capacity in this case are projected to be 12 GW(e) by 2030 and some 93 GW(e) by 2050.


Northern, Western and Southern Europe

FIGURE 25. NUCLEAR CAPACITY IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE: ACTUAL, RETIREMENTS AND ADDITIONS

HIGH CASE



LOW CASE



Electricity and Nuclear Production Projections

- Total electricity production in the combined regions of Northern, Western and Southern Europe is projected to increase from 2979 TW·h in 2016 to 3252 TW·h in 2030 — an increase of about 9% over 14 years — with an additional increase of 17% to reach 3809 TW·h by 2050.
- In the low case, nuclear electricity production will decrease significantly from 742 TW·h in 2016 to 482 TW·h in 2030 and to 313 TW·h in 2050. The share of nuclear electricity in the total will thus decrease from 24.9% in 2016 to 14.8% by 2030 and to 8.2% by 2050.
- In the high case, nuclear electricity production is projected to increase by about 8.5% by 2030, and further increase by 18.6% by 2050. The share of nuclear electricity in total electricity production will essentially remain constant in this case at around 25%.

Northern, Western and Southern Europe

FIGURE 26. NUCLEAR ELECTRICITY PRODUCTION IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE




TABLE 15. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE COMBINED REGIONS OF NORTHERN, WESTERN AND SOUTHERN EUROPE^a


Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	2 979	3 252		3 445		3 809	
Nuclear (TW·h)	742	482	817	403	778	313	969
% of total	24.89	14.82	25.11	11.69	22.57	8.21	25.43

^aThe nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 14 cannot be used to calculate average annual capacity factors for nuclear plants as Table 14 presents year-end capacity.

Eastern Europe

Eastern Europe


FIGURE 27. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE EASTERN EUROPE REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the Eastern Europe region in 2016 was based on a diverse mix of all fuels: oil (30%), gas (23%), coal (10%), electricity (15%), heat and other sources (19%).

FIGURE 28. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE EASTERN EUROPE REGION IN 2016



Electricity Production in 2016

Nuclear electricity production is very significant in this region, accounting for 21% of total electricity production in 2016. Nonetheless, fossil fuel based generation accounted for more than 60% of the total electricity production (gas (35%), coal (26%) and oil (1%)). Hydropower accounted for 14%, and renewables and other sources provided about 2% of the total electricity production.

Energy and Electricity Projections

- The final energy consumption in the Eastern Europe region is expected to increase by 10% in the next 14 years, with an additional 16% increase in the subsequent 20 years to 2050. Throughout the period, the annual growth rate will only be 0.7%.
- Electricity consumption will increase much faster, with a 50% increase between 2016 and 2030, and an additional 33% increase in the subsequent 20 years.
- The share of electricity in final energy consumption will thus increase from 15.3% in 2016 to 17.8% in 2030 and to about 23.6% by the middle of the century.

FIGURE 29. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE EASTERN EUROPE REGION




TABLE 16. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE EASTERN EUROPE REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	28	31	33	36
Electricity (EJ)	4	6	7	8
% of total	15.26	17.77	20.70	23.58

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Eastern Europe region is projected to increase significantly, by about 20% by 2030 and by an additional 40% in the subsequent 20 years.
- Nuclear electrical generating capacity is also projected to increase significantly in both the low and the high case.
- In the low case, nuclear electrical generating capacity is projected to grow slowly at first, from 50 GW(e) in 2016 to 50 GW(e) in 2030, and then to grow moderately, reaching 76 GW(e) by 2050. However, the share of nuclear capacity in the total electrical generating capacity will remain around 10% throughout the period in this case.
- In the high case, the nuclear electrical generating capacity is projected to increase at a faster pace — from 50 GW(e) in 2016 to 70 GW(e) by 2030 and to 110 GW(e) by 2050. The share of nuclear capacity in the total electrical generating capacity will therefore increase from 11.4% to 13.2% in 2030 and to 14.7% in 2050.

FIGURE 30. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE EASTERN EUROPE REGION




TABLE 17. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE EASTERN EUROPE REGION

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	439	530		635		746	
Nuclear (GW(e))	50	50	70	62	104	76	110
% of total	11.41	9.47	13.19	9.84	16.30	10.21	14.69


^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.

Reactor Retirements and Additions


- The majority of the existing nuclear power reactors in the Eastern Europe region are scheduled to be retired by the middle of the century.
- In the low case, about 17 GW(e) of nuclear electrical generating capacity will be retired by 2030 and another 24 GW(e) of capacity will be retired between 2030 and 2050. The projected additions in this case will compensate for the retirements between 2016 and 2030; thereafter, nuclear capacity will increase significantly, with the addition of about 50 GW(e) of nuclear power capacity by 2050.
- In the high case, nuclear power reactor retirements will be delayed. Only 10 GW(e) of nuclear capacity will be retired by 2030, but about 26 GW(e) will be retired between 2030 and 2050. The additions of nuclear capacity in this case are projected to be 30 GW(e) by 2030 and some 66 GW(e) by 2050.

FIGURE 31. NUCLEAR CAPACITY IN THE EASTERN EUROPE REGION: ACTUAL, RETIREMENTS AND ADDITIONS

HIGH CASE



LOW CASE



Electricity and Nuclear Production Projections

- Total electricity production in the Eastern Europe region is expected to double by the middle of the century, with an annual growth rate of 2.2%.
- Nuclear electricity production is also projected to continue to grow in both the low and the high case, albeit at different rates.
- In the low case, nuclear electricity production is projected to increase moderately from 337 TW·h in 2016 to 397 TW·h in 2030 and then at a relatively faster rate, reaching 614 TW·h in 2050. The share of nuclear electricity in total electricity production will, however, decrease from 21.2% in 2016 to 17.8% in 2030 and to 18.2% in 2050.
- In the high case, nuclear electricity production is projected to increase much faster, with a 70% increase by 2030 and a further 60% increase between 2030 and 2050. The share of nuclear electricity in total electricity production will increase from 21.2% in 2016 to 24.8% in 2030 and to 26.1% in 2050.

FIGURE 32. NUCLEAR ELECTRICITY PRODUCTION IN THE EASTERN EUROPE REGION





TABLE 18. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE EASTERN EUROPE REGION^a

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	1 594	2 225		2 778		3 381	
Nuclear (TW·h)	337	397	553	500	829	614	883
% of total	21.16	17.84	24.84	18.01	29.84	18.15	26.12

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 17 cannot be used to calculate average annual capacity factors for nuclear plants as Table 17 presents year-end capacity.

Africa


FIGURE 33. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE AFRICA REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the Africa region in 2016 was dominated by the use of bioenergy and waste (traditional fuels); electricity accounted for only 10% of the total final energy consumption.

FIGURE 34. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE AFRICA REGION IN 2016



Electricity Production in 2016

About 80% of electricity production in 2016 was based on fossil fuels (gas (39.4%), coal (30.6%) and oil (9.5%)). Hydropower provided 15.7% of the total, while other renewables contributed about 2.5%. Only one country in this region uses nuclear power. Nuclear generated electricity accounted for 2.1% of total electricity production for the region.

Energy and Electricity Projections

- Final energy consumption in the Africa region is expected to initially increase by about 2% per year and then to grow by 3% per year.
- Electricity consumption is expected to grow at a faster rate — about 5% per year during the entire period. It is expected to increase from 2 EJ in 2016 to 4 EJ and 11 EJ by 2030 and 2050, respectively.
- The share of electricity in final energy consumption will thus increase from 9.7% in 2016 to 13.1% in 2030 and to 18.5% by the middle of the century.

FIGURE 35. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE AFRICA REGION




TABLE 19. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE AFRICA REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	23	31	41	57
Electricity (EJ)	2	4	6	11
% of total	9.68	13.05	15.78	18.51

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Per Capita Energy and Electricity

- The region's final energy consumption on a per capita basis is not expected to increase by 2030 owing to continued population growth. However, between 2030 and 2050, there will be a significant increase in per capita energy consumption.
- Electricity consumption on a per capita basis is expected to increase significantly, with a 50% increase in the next 14 years, from 0.6 MW·h per person in 2016 to 0.9 MW·h per person in 2030, and a further 67% increase to reach 1.5 MW·h per person in 2050.

FIGURE 36. PER CAPITA ELECTRICITY PRODUCTION IN THE AFRICA REGION






FIGURE 37. PER CAPITA FINAL ENERGY CONSUMPTION IN THE AFRICA REGION



Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Africa region is expected to increase substantially, from 193 GW(e) in 2016 to 349 GW(e) by 2030 and to 841 GW(e) by 2050.
- The development of nuclear power is expected to face significant uncertainty.
- In the low case, nuclear electrical generating capacity is projected to stay at the present level of 2 GW(e) until 2030 and to increase to 7 GW(e) by 2050. The share of nuclear electrical generating capacity in the total electrical generating capacity is thus projected to decrease from 1% to 0.5% by 2030 and then to increase slightly to 0.8% by 2050.
- In the high case, nuclear electrical generating capacity is projected to increase to 3 GW(e) by 2030 and then to 18 GW(e) by 2050. The share of nuclear electrical generating capacity in total electrical capacity is expected to reach about 2% by 2050.


FIGURE 38. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE AFRICA REGION**TABLE 20. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE AFRICA REGION**

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	193	349		556		841	
Nuclear (GW(e))	2	2	3	3	10	7	18
% of total	0.96	0.53	0.82	0.54	1.81	0.83	2.16

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.

Electricity and Nuclear Production Projections

- Total electricity production in the Africa region is expected to double by 2030 and then increase further, at an even faster rate, reaching 3699 TW·h by 2050.
- Nuclear electricity production is projected to follow the nuclear electrical generating capacity trend.
- In the low case, nuclear electricity production is projected to remain at the 2016 level until 2030 and then increase to 56 TW·h by 2050. The share of nuclear electricity in total electricity production will thus decrease from 2% in 2016 to 1% in 2030 and then increase to 1.5% in 2050.
- In the high case, nuclear electricity production is projected to first increase by about 40%, growing from 15 TW·h in 2016 to 21 TW·h by 2030, and then to increase substantially, reaching 147 TW·h by 2050. The share of nuclear electricity in total electricity production will thus decrease from 2% in 2016 to 1.5% in 2030 and then increase to 4% in 2050.


FIGURE 39. ELECTRICITY PRODUCTION BY NUCLEAR POWER IN THE AFRICA REGION**TABLE 21. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE AFRICA REGION^a**

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	770	1 454		2 319		3 699	
Nuclear (TW·h)	15	14	21	23	79	56	147
% of total	1.97	0.96	1.47	1.01	3.39	1.53	3.97

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 20 cannot be used to calculate average annual capacity factors for nuclear plants as Table 20 presents year-end capacity.

Western Asia


FIGURE 40. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE WESTERN ASIA REGION IN 2016



Final Energy Consumption in 2016

More than half the final energy consumed in the Western Asia region in 2016 was in the form of oil and gas. Electricity accounted for 18% of the total energy consumption.

FIGURE 41. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE WESTERN ASIA REGION IN 2016



Electricity Production in 2016

The electricity production mix in the Western Asia region in 2016 was dominated by gas (58%), followed by oil (24%) and coal (9%). Hydropower and other renewables contributed about 8.5%. Nuclear electricity accounted for only 0.3% of total electricity production in the region.

Energy and Electricity Projections

- Final energy consumption in the Western Asia region is expected to stay at the present level up to 2030 and to increase slightly thereafter.
- Electricity consumption, however, is expected to increase by about 2.5% per year over the entire period — by 2% per year between 2016 to 2030 and by 2.8% per year in the subsequent 20 years.
- Consequently, the share of electricity in final energy consumption will increase from 18.2% in 2016 to 23.5% by 2030 and to 32.7% by the middle of the century.

FIGURE 42. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE WESTERN ASIA REGION




TABLE 22. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE WESTERN ASIA REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	19	19	20	22
Electricity (EJ)	3	4	5	7
% of total	18.22	23.50	27.67	32.70

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Western Asia region is projected to increase by 27% to reach 409 GW(e) by 2030, from 322 GW(e) in 2016, and then by 40% to reach 574 GW(e) by 2050.
- Although there currently is only one nuclear power reactor operating in this region, more nuclear electrical generating capacity is projected in the coming years.
- In the low case, the nuclear electrical generating capacity is projected to be 5 GW(e) in 2030 and 11 GW(e) by 2050. The share of nuclear electrical generating capacity in the total electrical capacity will thus increase from 0.1% to 1.3% by 2030 and to about 2% by 2050.
- In the high case, the nuclear electrical generating capacity is projected to increase to 9 GW(e) in 2030 and to about 31 GW(e) in 2050. The share of nuclear electrical generating capacity in total electricity capacity will reach 2.3% in 2030 and about 5.5% in 2050.

FIGURE 43. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE WESTERN ASIA REGION




TABLE 23. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE WESTERN ASIA REGION

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	322	409		481		574	
Nuclear (GW(e))	0.38	5	9	7	21	11	31
% of total	0.12	1.32	2.27	1.54	4.46	1.98	5.48

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.

Electricity and Nuclear Production Projections

- Total electricity production in the Western Asia region is projected to increase from 1109 TW·h in 2016 to 1479 TW·h in 2030 — an increase of about 33% — and then to 2281 TW·h by 2050 — an additional increase of about 54%.
- Although the single nuclear power reactor in the region provided only 2 TW·h in 2016, nuclear electricity production is expected to increase significantly in both the low and the high case.
- In the low case, nuclear electricity production is projected to increase to 41 TW·h in 2030 and to 92 TW·h in 2050. The share of nuclear electricity in total electricity production will thus increase from 0.2% in 2016 to 2.8% in 2030 and to about 4.0% in 2050.
- In the high case, nuclear electricity production is projected to grow faster, reaching 71 TW·h by 2030 and 253 TW·h by 2050. The share of nuclear electricity in total electricity production will thus increase to 4.8% in 2030 and to 11.1% in 2050.

FIGURE 44. NUCLEAR ELECTRICITY PRODUCTION IN THE WESTERN ASIA REGION





TABLE 24. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE WESTERN ASIA REGION^a

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	1 109	1 479		1 773		2 281	
Nuclear (TW·h)	2	41	71	58	169	92	253
% of Nuclear	0.20	2.76	4.78	3.27	9.51	4.02	11.11

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 23 cannot be used to calculate average annual capacity factors for nuclear plants as Table 23 presents year-end capacity.


Southern Asia

FIGURE 45. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE SOUTHERN ASIA REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the Southern Asia region was dominated by the use of fossil fuels in 2016, but bioenergy and waste (traditional fuels) continued to provide a large proportion, accounting for 27% of the total. The use of electricity is growing but still accounted for only 14% of total consumption.

FIGURE 46. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE SOUTHERN ASIA REGION IN 2016

Electricity Production in 2016

About 82% of electricity production in 2016 was fossil fuel based (coal (56%), gas (19%) and oil (7%)). Hydropower accounted for 10%, while nuclear power contributed only 2.6% of the total. Renewables and other sources accounted for about 6% of the total electricity production.

Energy and Electricity Projections

- Final energy consumption in the Southern Asia region is expected to increase at an average annual growth rate of 2.5% — more than doubling between 2016 and 2050. The growth rate is expected to be 3.2% per year until 2030, decreasing to 2% per year thereafter.
- Electricity consumption is expected to grow even faster, doubling in the next 14 years and doubling again between 2030 and 2050.
- The share of electricity in final energy consumption will thus increase from 13.3% in 2016 to 16.6% in 2030 and to 22.8% by the middle of the century.

FIGURE 47. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE SOUTHERN ASIA REGION




TABLE 25. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE SOUTHERN ASIA REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	41	64	79	96
Electricity (EJ)	5	11	16	22
% of total	13.26	16.64	19.83	22.80

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Southern Asia region is projected to reach 937 GW(e) by 2030, from the 2016 level of 470 GW(e), representing a doubling of the capacity in 14 years. This trend will continue in the subsequent 20 years, resulting in an 85.6% increase in total electrical generating capacity.
- Nuclear electrical generating capacity is also projected to increase considerably in both the low and the high case.
- In the low case, nuclear electrical generating capacity is projected to increase from the 2016 level of 8.2 GW(e) to 21 GW(e) by 2030 and to 52 GW(e) by 2050. The share of nuclear electrical generating capacity in total electricity capacity is thus projected to increase from 1.7% in 2016 to 2.1% by 2030 and 2.9% by 2050.
- In the high case, nuclear electrical generating capacity is projected to increase substantially, from 8.2 GW(e) in 2016 to 34 GW(e) by 2030 and 105 GW(e) by 2050. The share of nuclear in total electrical generating capacity will thus increase from 1.7% in 2016 to 3.5% by 2030 and to 5.8% by 2050.

FIGURE 48. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE SOUTHERN ASIA REGION




TABLE 26. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE SOUTHERN ASIA REGION

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	470	973		1 330		1 806	
Nuclear (GW(e))	8.2	21	34	33	68	52	105
% of total	1.74	2.12	3.53	2.50	5.08	2.87	5.81


^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.

Reactor Retirements and Additions


- The existing nuclear power reactors in the Southern Asia region are relatively young, and the majority are expected to remain in operation until the middle of the century.
- In the low case, only 1 GW(e) of nuclear electrical generating capacity will be retired by 2030 and an additional 2 GW(e) of capacity will be retired between 2030 and 2050. The projected additions of nuclear capacity in this case are 13 GW(e) by 2030 and some 30 GW(e) by 2050.
- In the high case, the nuclear capacity retired will be even smaller — only 2 GW(e) over the entire period. The projected additions of nuclear electrical generating capacity in this case are very substantial — about 24 GW(e) added by 2030 and some 70 GW(e) added by 2050.

**FIGURE 49. NUCLEAR CAPACITY IN THE SOUTHERN ASIA REGION:
ACTUAL, RETIREMENTS AND ADDITIONS**

HIGH CASE




LOW CASE



Electricity and Nuclear Production Projections

- The total electricity production in the Southern Asia region is expected to more than double in the next 14 years, and then to double again in the subsequent 20 years to 2050.
- The nuclear generated electricity is projected to show even higher growth.
- In the low case, nuclear electricity production is projected to increase 3.5-fold in the next 14 years, with a further 2.5-fold increase over the subsequent 20 years. The share of nuclear electricity in the total will thus increase from 2.6% in 2016 to 4.2% in 2030 and to 5.2% in 2050.
- In the high case, much greater increases in nuclear electricity production are projected: an almost sixfold increase in the next 14 years and another threefold increase in the subsequent 20 years. The share of nuclear electricity in total electricity production will increase from 2.6% in 2016 to 6.9% in 2030 and to 10.5% in 2050.

**FIGURE 50. NUCLEAR ELECTRICITY PRODUCTION
IN THE SOUTHERN ASIA REGION****TABLE 27. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION
IN THE SOUTHERN ASIA REGION^a**


Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	1 797	3 921		5 754		8 044	
Nuclear (TW·h)	46	163	271	266	541	418	846
% of total	2.58	4.16	6.91	4.62	9.40	5.20	10.51

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 26 cannot be used to calculate average annual capacity factors for nuclear plants as Table 26 presents year-end capacity.

Central and Eastern Asia

Central and Eastern Asia


FIGURE 51. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA IN 2016



Final Energy Consumption in 2016

Fossil fuels accounted for about two thirds of the final energy consumption in the combined regions of Central and Eastern Asia in 2016. Electricity supplied 21% of the total final energy used.

FIGURE 52. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA IN 2016



Electricity Production in 2016

The electricity production mix in 2016 was highly dominated by coal, with as much as 60% of the total production from coal, followed by hydropower (17%) and gas (10%). Nuclear power contributed about 6%, while renewable sources accounted for about 4.5% of total electricity production.

Energy and Electricity Projections

- Final energy consumption in the combined regions of Central and Eastern Asia is expected to increase significantly (21%) between 2016 and 2030, and to flatten out thereafter, increasing only 3.5% from 2030 to 2050.
- Electricity consumption will increase much faster, with a 56% increase from 2016 to 2030. This trend will continue thereafter, with an additional increase of 36% in the subsequent 20 years until 2050. Altogether, there will be more than a doubling of electricity use between 2016 and 2050.
- The share of electricity in final energy consumption will thus increase from 20.6% in 2016 to 27.2% in 2030 and to 35.7% in 2050.

FIGURE 53. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA




TABLE 28. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA

Final Consumption	2016	2030	2040	2050
Energy (EJ)	119	144	145	149
Electricity (EJ)	25	39	47	53
% of total	20.60	27.19	32.26	35.74

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- The combined regions of Central and Eastern Asia are expected to continue to grow at a fast pace. Electrical generating capacity is projected to increase by 74% in the next 14 years to reach 3903 GW(e) by 2030 and to 4609 GW(e) by 2050.
- Nuclear electrical generating capacity is also projected to increase significantly in both the low and the high case.
- Even in the low case, nuclear electrical generating capacity is projected to increase from the 2016 level of 99 GW(e) to 111 GW(e) by 2030 and 142 GW(e) by 2050. However, since the growth of nuclear electrical generating capacity is projected to be slower than that of total electrical capacity, the share of nuclear electrical generating capacity is projected to decrease from 4.4% in 2016 to 2.9% by 2030 and 3.1% by 2050.
- In the high case, nuclear electrical generating capacity is projected to increase much faster, doubling in the next 14 years and increasing by a further 66% by 2050. The share of nuclear electrical generating capacity in total electrical generating capacity will thus increase from 4.4% in 2016 to 5.3% in 2030 and to 7.5% in 2050.

FIGURE 54. NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA




TABLE 29. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA


Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	2 246	3 903		4 487		4 609	
Nuclear (GW(e))	99	111	207	128	288	142	344
% of total	4.42	2.85	5.31	2.85	6.42	3.08	7.46

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.


Reactor Retirements and Additions

- Most of the existing nuclear power reactors in the combined regions of Central and Eastern Asia are relatively new, and only a few are scheduled to be retired by 2030.
- In the low case, several of the nuclear power reactors in this region currently out of operation in the aftermath of the Fukushima Daiichi accident will not be put back into operation. Consequently, some 37 GW(e) of nuclear power capacity will be retired by 2030 and an additional 23 GW(e) will be retired by 2050. The projected additions of nuclear capacity in this case are 50 GW(e) by 2030 and an additional 54 GW(e) by 2050.
- In the high case, it is assumed that most of the units taken out of operation after the Fukushima Daiichi accident will resume operation. As such, only 4 GW(e) of nuclear capacity will be retired by 2030; thereafter, some 31 GW(e) of capacity will be retired by 2050. Construction of new capacity in this case is projected to be extensive: about 112 GW(e) in the next 14 years and some 167 GW(e) between 2030 and 2050.

FIGURE 55. NUCLEAR CAPACITY IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA: ACTUAL, RETIREMENTS AND ADDITIONS HIGH CASE



LOW CASE



Electricity and Nuclear Production Projections

- To meet the fast growing demand for electricity in the combined regions of Central and Eastern Asia, electricity production will increase by 69% by 2030, with a further increase of 37% by 2050.
- The contribution of nuclear power is projected to undergo significant changes in both the low and the high case.
- In the low case, nuclear electricity production is projected to increase significantly — from 400 TW·h in 2016 to 835 TW·h by 2030 and to 1143 TW·h by 2050. The share of nuclear electricity in the total will thus increase from 5.3% in 2016 to 6.5% in 2030 and to 6.6% in 2050.
- In the high case, there will be about a threefold increase in nuclear electricity production in the next 14 years — from 400 TW·h in 2016 to 1555 TW·h by 2030 — with a further 78% increase, to 2770 TW·h, by 2050. The share of nuclear electricity in total electricity will thus increase from 5.3% in 2016 to 12.1% in 2030 and to 16% in 2050.

FIGURE 56. NUCLEAR ELECTRICITY PRODUCTION IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA




TABLE 30. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE COMBINED REGIONS OF CENTRAL AND EASTERN ASIA^a


Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	7 604	12 861		15 418		17 281	
Nuclear (TW·h)	400	835	1 555	1 003	2 264	1 143	2 770
% of total	5.26	6.49	12.09	6.50	14.68	6.62	16.03

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 29 cannot be used to calculate average annual capacity factors for nuclear plants as Table 29 presents year-end capacity.

South-eastern Asia

South-eastern Asia


FIGURE 57. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE SOUTH-EASTERN ASIA REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the South-eastern Asia region was dominated by the use of fossil fuels (oil (45%), gas (8%) and coal (7%)). Electricity use in 2016 was about one sixth of the total energy consumption.

FIGURE 58. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE SOUTH-EASTERN ASIA REGION IN 2016



Electricity Production in 2016

Gas was the primary source of electricity production in 2016, followed by coal. Hydropower, renewables and other sources accounted for about one fifth of the total electricity production. At present, nuclear power is not used in this region.

Energy and Electricity Projections

- Final energy consumption in the South-eastern Asia region is expected to continue to increase at a relatively rapid rate up to 2030, with about a 50% increase between 2016 and 2030. In the subsequent 20 years, the growth is expected to slow to about 1% per year.
- Electricity consumption is expected to increase at an even faster rate: 3.7% per year from 2016 to 2030 and about 3% per year in the subsequent 20 years to 2050.
- The share of electricity in final energy consumption will thus increase from 14.8% in 2016 to 17.8% in 2030 and to 25.6% by the middle of the century.

FIGURE 59. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE SOUTH-EASTERN ASIA REGION




TABLE 31. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE SOUTH-EASTERN ASIA REGION

Final Consumption	2016	2030	2040	2050
Energy (EJ)	20	30	33	37
Electricity (EJ)	3	5	7	9
% of total	14.78	17.79	21.43	25.57

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the South-eastern Asia region is projected to increase by 87% to reach 421 GW(e) by 2030 and then to increase by 68% to 709 GW(e) by 2050.
- The nuclear electrical generating capacity in this region is not projected to make a significant contribution: no nuclear reactor is projected to be operational up to 2030 and only 3 GW(e) of nuclear electrical generating capacity is projected by 2050 in the low case.
- Even in the high case, no nuclear power plant is projected to be on-line by 2030. However, some 14 GW(e) of nuclear power capacity is projected to be operational by 2050.
- Correspondingly, nuclear electricity will appear in the electricity production mix of this region only after 2030. In the low case, its contribution to total electricity production is projected to be only 0.8% in 2050, while in the high case it is projected to be 3.7% of the total electricity production in 2050.

TABLE 32. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE SOUTH-EASTERN ASIA REGION

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	225	421		556		709	
Nuclear (GW(e))	0	0	0	1	6	3	14
% of total	0	0	0	0.18	1.08	0.42	1.91

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.


TABLE 33. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE SOUTH-EASTERN ASIA REGION^a

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	904	1 642		2 210		2 928	
Nuclear (TW·h)	0	0	0	8	47	24	109
% of total	0	0	0	0.35	2.12	0.83	3.72

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 32 cannot be used to calculate average annual capacity factors for nuclear plants as Table 32 presents year-end capacity.

Oceania


FIGURE 60. FINAL ENERGY CONSUMPTION BY ENERGY SOURCE IN THE OCEANIA REGION IN 2016



Final Energy Consumption in 2016

Final energy consumption in the Oceania region was dominated by oil in 2016. Electricity contributed 22% to total consumption, followed by gas at 16%.

FIGURE 61. ELECTRICITY PRODUCTION BY ENERGY SOURCE IN THE OCEANIA REGION IN 2016




Electricity Production in 2016

Coal based electricity production was 55% in the Oceania region in 2016, while natural gas and hydropower contributed 15% each. Renewables and other sources together provided about 12% of the total electricity production.

Energy and Electricity Projections

- Final energy consumption in the Oceania region is expected to increase at about 1% per year to 2050 — an increase of about 17% by 2030 and another 18% by 2050.
- Electricity consumption will grow faster, at an average annual rate of about 1.5%.
- The share of electricity in final energy consumption will thus increase from 21.6% in 2016 to 28% by the middle of the century.

FIGURE 62. FINAL CONSUMPTION OF ENERGY AND ELECTRICITY IN THE OCEANIA REGION**TABLE 34. FINAL CONSUMPTION^a OF ENERGY AND ELECTRICITY IN THE OCEANIA REGION**

Final Consumption	2016	2030	2040	2050
Energy (EJ)	4.2	4.9	5.2	5.4
Electricity (EJ)	0.9	1.1	1.3	1.5
% of total	21.57	21.79	24.56	28.05

^a Final consumption refers to all fuel and energy that is delivered to energy consumers.

Nuclear Electrical Generating Capacity Projections

- Electrical generating capacity in the Oceania region is projected to increase at a higher rate than electricity consumption. A 40% increase in electrical generating capacity is expected, reaching 111 GW(e) by 2030, followed by another increase of 48% over the next 20 years, reaching 164 GW(e) by 2050.
- Total electricity production is expected to reach an annual growth rate of about 1.5%.
- Nuclear power is not projected to be introduced into the electricity generation mix of this region in the low case.
- In the high case, nuclear power is projected to become part of the electricity production system by the middle of the century, reaching 2 GW(e) of capacity in 2050, providing some 3% of total electricity production in the region.

TABLE 35. TOTAL AND NUCLEAR ELECTRICAL GENERATING CAPACITY IN THE OCEANIA REGION

Electrical Capacity	2016	2030 ^a		2040 ^a		2050 ^a	
		Low	High	Low	High	Low	High
Total (GW(e))	79	111		136		164	
Nuclear (GW(e))	0	0	0	0	0	0	2
% of total	0	0	0	0	0	0	1.22

^a Nuclear capacity estimates take into account the scheduled retirement of older units at the end of their lifetime.

TABLE 36. TOTAL AND NUCLEAR ELECTRICAL PRODUCTION IN THE OCEANIA REGION^a

Electricity Production	2016	2030		2040		2050	
		Low	High	Low	High	Low	High
Total (TW·h)	289	350		421		493	
Nuclear (TW·h)	0	0	0	0	0	0	16
% of total	0	0	0	0	0	0	3.27

^a The nuclear production data presented in this table and the nuclear electrical generating capacity data presented in Table 35 cannot be used to calculate average annual capacity factors for nuclear plants as Table 35 presents year-end capacity.

Regional Population Data

TABLE 37. POPULATION GROWTH BY REGION

Region	2016 (Million Inhabitants)	2050 (Million Inhabitants)	Growth Rate (%/a) 2016–2050	Ratio (2050:2016)
Northern America	361	433	0.54	1.20
Latin America and the Caribbean	641	784	0.59	1.22
Northern, Western and Southern Europe	446	455	0.06	1.02
Eastern Europe	292	252	–0.44	0.86
Africa	1 216	2 478	2.11	2.04
Western Asia	262	395	1.22	1.51
Southern Asia	1 847	2 424	0.80	1.31
Central and Eastern Asia	1 687	1 655	–0.06	0.98
South-eastern Asia	641	792	0.63	1.24
Oceania	40	57	1.03	1.42
World Total	7 433	9 725	0.79	1.31



ORDERING LOCALLY

In the following countries, IAEA priced publications may be purchased from the sources listed below or from major local booksellers.

Orders for unpriced publications should be made directly to the IAEA. The contact details are given at the end of this list.

CANADA

Renouf Publishing Co. Ltd

22-1010 Polytek Street, Ottawa, ON K1J 9J1, CANADA

Telephone: +1 613 745 2665 • Fax: +1 643 745 7660

Email: order@renoufbooks.com • Web site: www.renoufbooks.com

Bernan / Rowman & Littlefield

15200 NBN Way, Blue Ridge Summit, PA 17214, USA

Tel: +1 800 462 6420 • Fax: +1 800 338 4550

Email: orders@rowman.com Web site: www.rowman.com/bernan

CZECH REPUBLIC

Suweco CZ, s.r.o.

Sestupná 153/11, 162 00 Prague 6, CZECH REPUBLIC

Telephone: +420 242 459 205 • Fax: +420 284 821 646

Email: nakup@suweco.cz • Web site: www.suweco.cz

FRANCE

Form-Edit

5 rue Janssen, PO Box 25, 75921 Paris CEDEX, FRANCE

Telephone: +33 1 42 01 49 49 • Fax: +33 1 42 01 90 90

Email: formedit@formedit.fr • Web site: www.form-edit.com

GERMANY

Goethe Buchhandlung Teubig GmbH

Schweitzer Fachinformationen

Willstätterstrasse 15, 40549 Düsseldorf, GERMANY

Telephone: +49 (0) 211 49 874 015 • Fax: +49 (0) 211 49 874 28

Email: kundenbetreuung.goethe@schweitzer-online.de • Web site: www.goethebuch.de

INDIA

Allied Publishers

1st Floor, Dubash House, 15, J.N. Heredi Marg, Ballard Estate, Mumbai 400001, INDIA

Telephone: +91 22 4212 6930/31/69 • Fax: +91 22 2261 7928

Email: alliedpl@vsnl.com • Web site: www.alliedpublishers.com

Bookwell

3/79 Nirankari, Delhi 110009, INDIA

Telephone: +91 11 2760 1283/4536

Email: bkwell@nde.vsnl.net.in • Web site: www.bookwellindia.com

ITALY

Libreria Scientifica "AEIOU"

Via Vincenzo Maria Coronelli 6, 20146 Milan, ITALY

Telephone: +39 02 48 95 45 52 • Fax: +39 02 48 95 45 48

Email: info@libreriaaeiou.eu • Web site: www.libreriaaeiou.eu

JAPAN

Maruzen-Yushodo Co., Ltd

10-10 Yotsuyasakamachi, Shinjuku-ku, Tokyo 160-0002, JAPAN

Telephone: +81 3 4335 9312 • Fax: +81 3 4335 9364

Email: bookimport@maruzen.co.jp • Web site: www.maruzen.co.jp

RUSSIAN FEDERATION

Scientific and Engineering Centre for Nuclear and Radiation Safety

107140, Moscow, Malaya Krasnoselskaya st. 2/8, bld. 5, RUSSIAN FEDERATION

Telephone: +7 499 264 00 03 • Fax: +7 499 264 28 59

Email: secnrs@secnrs.ru • Web site: www.secnrs.ru

UNITED STATES OF AMERICA

Bernan / Rowman & Littlefield

15200 NBN Way, Blue Ridge Summit, PA 17214, USA

Tel: +1 800 462 6420 • Fax: +1 800 338 4550

Email: orders@rowman.com • Web site: www.rowman.com/bernan

Renouf Publishing Co. Ltd

812 Proctor Avenue, Ogdensburg, NY 13669-2205, USA

Telephone: +1 888 551 7470 • Fax: +1 888 551 7471

Email: orders@renoufbooks.com • Web site: www.renoufbooks.com

Orders for both priced and unpriced publications may be addressed directly to:

Marketing and Sales Unit

International Atomic Energy Agency

Vienna International Centre, PO Box 100, 1400 Vienna, Austria

Telephone: +43 1 2600 22529 or 22530 • Fax: +43 1 2600 29302 or +43 1 26007 22529

Email: sales.publications@iaea.org • Web site: www.iaea.org/books



INTERNATIONAL ATOMIC ENERGY AGENCY
VIENNA
ISBN 978-92-0-106117-1
ISSN 1011-2642